Section 5. Crude Oil and Natural Gas Resource Development

The May 2003 rotary rig count was 1,034, 5 percent higher than the count in April 2003 and 25 percent higher than the count in May 2002. Of the total number of rigs in operation, 921 were onshore and 113 were offshore. For May 2003, the number of onshore rigs was up 28 percent and the number of offshore rigs was up 8 percent from the May 2002 count. Rotary rigs drilling for natural gas as a share of total rigs stood at 84 percent in May 2003.

Total footage drilled in May 2003 was 16.0 million feet, 11 percent higher than the footage drilled in April 2003 and up 45 percent from that drilled in May 2002.

The number of exploratory and development crude oil and natural gas wells drilled during May 2003 was 2,159, up 4 percent from the number drilled in April 2003 and up 24


percent from the number drilled in May 2002. The number of crude oil wells drilled was 505, and the number of natural gas wells was 1,654, 25 percent higher and 24 percent higher, respectively, than their May 2002 levels.

The number of dry holes drilled in May 2003 was 376, up 4 percent from the number drilled in April 2003 and up 25 percent from the number drilled in May 2002.

There were 1.9 thousand well service rigs active in May 2003, 1 percent fewer than the previous month but 4 percent more than the count a year ago.

The number of seismic crews active in the 48 States onshore in May 2003 was 24, 8 fewer than a year earlier. The number of crews active in the 48 States offshore was 12, 5 fewer than a year earlier. Two crews were active in Alaska in May 2003, the same as a year ago.

Figure 5.1 Crude Oil and Natural Gas Resource Development Indicators



^aFederal and State Jurisdiction waters of Gulf of Mexico. ^bAll onshore.

Web Page: http://www.eia.doe.gov/emeu/mer/resource.html. Sources: Tables 5.1-5.3.

Table 5.1 Crude Oil and Natural Gas Drilling Activity Measurements

| | | Rot | ary Rigs in Operat | tiona | | | |
|----------------------------|----------------|------------|--------------------|-------------|--------------------|----------------------|------------------------|
| | Ву | Site | By Ob | jective | | Total Footage | Active Well Service |
| | Onshore | Offshore | Crude Oil | Natural Gas | Total ^b | Drilled ^c | Rig Count ^d |
| | | | Average | | | Thousand Feet | Number |
| 973 Average | 1,110 | 84 | NA | NA | 1,194 | 138,223 | NA |
| 974 Average | 1,378 | .94 | NA | NA | 1,472 | 153,374 | NA |
| 975 Average | 1,554 | 106 | NA | NA | 1,660 | 180,494 | NA |
| 976 Average | 1,529 | 129 | NA | NA | 1,658 | 186,982 | NA |
| 977 Average | 1,834 | 167 185 | NA NA | NA NA | 2,001 | 215,866 | NA NA |
| 978 Average 979 Average | 2,074 1,970 | 207 | NA NA | NA NA | 2,259 2.177 | 238,669 244,798 | NA NA |
| 980 Average | 2,678 | 231 | NA | NA NA | 2,909 | 314,654 | NA |
| 981 Average | 3,714 | 256 | NA | NA | 3,970 | 413,112 | NA |
| 982 Average | 2,862 | 243 | NA | NA | 3,105 | 378,295 | NA |
| 983 Average | 2,033 | 199 | NA | NA | 2,232 | 317,986 | NA |
| 984 Average | 2,215 | 213 | NA | NA | 2,428 | 371,392 | NA |
| 985 Average | 1,774 | 206 | NA | NA | 1,980 | 313,045 | NA |
| 986 Average | 865 | 99 | NA | NA | 964 | 181,856 | NA |
| 987 Average | 841 | 95 | NA | NA | 936 | 162,178 | NA |
| 88 Average | 813 | 123 | 554 | 354 | 936 | 156,354 | NA |
| 089 Average | 764 | 105 | 453 | 401 | 869 | 134,439 | NA |
| 990 Average | 902 | 108 | 532 | 464 | 1,010 | 153,701 | NA |
| 91 Average | 779 | 81 | 482 | 351 | 860 | 143,021 | NA |
| 92 Average | 669 | 52 | 373 | 331 | 721 | 121,124 | NA |
| 993 Average | 672 | 82 | 373 | 364 | 754 | 135,118 | NA |
| 94 Average | 673 | 102 | 335 | 427 | 775 | 124,809 | NA |
| 95 Average | 622 | 101 | 323 | 385 | 723 | 117,832 | NA |
| 96 Average | 671 | 108 | 306 | 464 | 779 | 129,045 | NA |
| 97 Average | 821 | 122 | 376 | 564 | 943 | 156,661 | NA |
| 98 Average | 703 | 123 | 264 | 560 | 827 | 143,454 | NA |
| 999 Average | 519 | 106 | 128 | 496 | 625 | 99,410 | NA |
| 000 Average | 778 | 140 | 197 | 720 | 918 | 141,392 | NA |
| 001 January | 944 | 174 | 239 | 879 | 1,118 | 15,525 | NA |
| February | 973 | 163 | 237 | 898 | 1,136 | 13,296 | NA |
| March | 996 | 167 | 248 | 913 | 1,163 | 13,953 | NA |
| April | 1,037 | 169 | 247 | 957 | 1,206 | 16,268 | NA |
| May | 1,063 | 171 | 235 | 997 | 1,234 | 17,374 | NA |
| June | 1,107 | 163 | 219 | 1,050 | 1,270 | 17,418 | NA. |
| July | 1,121 | 157 | 219 | 1,058 | 1,278 | 17,672 | 1,784 |
| August | 1,105 | 147 | 219 | 1,032 | 1,252 | 17,363 | 1,865 |
| September | 1,049 | 144 | 220 | 972 | 1,193 | 16,563 | 1,832 |
| October | 978 | 133 | 198 | 913 | 1,111 | 18,264 | 1,824 |
| November | 866 | 134 | 174 | 825 | 1,000 | 13,806 | 1,774 |
| December | 778 | 123 | 147 | 754 | 901 | 12,465 | 1,654 |
| Average | 1,003 | 153 | 217 | 939 | 1,156 | 189,967 | NA |
| 002 January | 741 702 | 126 123 | 141 144 | 725 679 | 867 825 | 11,513 11,031 | 1,683 1,843 |
| February March | 649 | 114 | 144 | 617 | 763 | 10,303 | 1,791 |
| | 645 | 105 | 136 | 612 | 750 | | |
| April | 721 | 105 | 134 | 690 | 826 | 10,102 11,039 | 1,852 1,856 |
| May June | 732 | 110 | 138 | 704 | 842 | 11,274 | 1,832 |
| | 740 | 111 | 133 | 704 716 | 851 | 11,590 | 1,832 |
| July August | 740 | 111 | 125 | 710 721 | 848 | 10,576 | 1,891 |
| September | 746 | 114 | 122 | 736 | 860 | 12,410 | 1,861 |
| October | 740 | 111 | 140 | 709 | 851 | 11,907 | 1,878 |
| November | 740 725 | 109 | 146 | 683 | 834 | | |
| December | 742 | 114 | 137 | 714 | 856 | 11,612 12,747 | 1,817 1,821 |
| Average | 717 | 113 | 137 137 | 691 | 830 | 136,104 | 1,830 |
| 03 January | 743 | 111 | 132 | 718 | 854 | 12,962 | 1,898 |
| February | 743 797 | 110 | 153 | 750 | 907 | 13,429 | 1,928 |
| March | 836 | 105 | 171 | 767 | 941 | 13,269 | 1,950 |
| April | 877 | 106 | 185 | 795 | 983 | 14,409 | 1,954 |
| May | 921 | 113 | 167 | 864 | 1,034 | 16,047 | 1,927 |
| 5-Month Average | 835 | 109 | 161 | 780 | 944 | 70,116 | 1,931 |
| 02 5-Month Average | 691 | 114 | 140 | 664 | 805 | 53,988 | 1,805 |
| | | | | | | | |

^a Rotary rigs in operation are reported weekly. Monthly data are averages of 4- or 5-week reporting periods, not calendar months. Multi-month data are averages of the reported data over the covered months, *not* averages of the weekly data. Annual data are averages over 52 or 53 weeks, not calendar years. Published data are rounded to the nearest whole report.

NA=Not available.

Note: Geographic coverage is the 50 States and the District of Columbia. Web Page: http://www.eia.doe.gov/emeu/mer/resource.html.

Sources: • Rotary Rigs in Operation: By Site - Baker Hughes, Inc., Houston, Texas, Rotary Rigs Running--by State. By Type - Baker Hughes, Inc., Houston, Texas, weekly phone recording. • Total Footage Drilled: Energy Information Administration computations, which are based on well reports submitted to the American Petroleum Institute by the Petroleum Information Corporation, Denver, Colorado. • Active Well Service Rig Count: Weatherford International, Inc., Houston, Texas.

whole number.

b Sum of rigs drilling for crude oil, rigs drilling for natural gas, and other rigs (not shown) drilling for miscellaneous purposes, such as service wells, injection wells, and stratigraphic tests.

C Values shown are totals.

d See Glossary.

Table 5.2 Crude Oil and Natural Gas Wells Drilled

(Number of Wells)

| | Exploratory | | | | | Develo | pment | | Total | | | | |
|--------------------------|----------------|----------------|----------------|------------------|------------------|------------------|----------------|------------------|------------------|------------------|------------------|------------------|--|
| | Crude Oil | Natural Gas | Dry | Total | Crude Oil | Natural Gas | Dry | Total | Crude Oil | Natural Gas | Dry | Total | |
| 1973 Total | 642 | 1,067 | 5,952 | 7,661 | 9,525 | 5,866 | 4,368 | 19,759 | 10,167 | 6,933 | 10,320 | 27,420 | |
| 1974 Total | 859 | 1,190 | 6,833 | 8,882 | 12,788 | 5,948 | 5,283 | 24,019 | 13,647 | 7,138 | 12,116 | 32,901 | |
| 1975 Total | 982 | 1,248 | 7,129 | 9,359 | 15,966 | 6,879 | 6,517 | 29,362 | 16,948 | 8,127 | 13,646 | 38,721 | |
| 1976 Total | 1,086 | 1,346 | 6,772 | 9,204 | 16,602 | 8,063 | 6,986 | 31,651 | 17,688 | 9,409 | 13,758 | 40,855 | |
| 1977 Total | 1,164 | 1,548 | 7,283 | 9,995 | 17,581 | 10,574 | 7,702 | 35,857 | 18,745 | 12,122 | 14,985 | 45,852 | |
| 1978 Total 1979 Total | 1,171 1,321 | 1,771 1,907 | 7,965 7,437 | 10,907 10,665 | 18,010 19,530 | 12,642 13,347 | 8,586 8,662 | 39,238 41,539 | 19,181 20.851 | 14,413 15.254 | 16,551 16,099 | 50,145 52,204 | |
| 1980 Total | 1,764 | 2,081 | 9,039 | 12,884 | 30,875 | 15,252 | 11,599 | 57,726 | 32,639 | 17,333 | 20.638 | 70,610 | |
| 1981 Total | 2,636 | 2,514 | 12,349 | 17,499 | 40,962 | 17,652 | 15,440 | 74,054 | 43,598 | 20,166 | 27,789 | 91,553 | |
| 1982 Total | 2,431 | 2,125 | 11,247 | 15,803 | 36,768 | 16,854 | 14,972 | 68,594 | 39,199 | 18,979 | 26,219 | 84,397 | |
| 1983 Total | 2,023 | 1,593 | 10,148 | 13,764 | 35,097 | 12,971 | 14,005 | 62,073 | 37,120 | 14,564 | 24,153 | 75,837 | |
| 1984 Total | 2,198 | 1,521 | 11,278 | 14,997 | 40,407 | 15,606 | 14,403 | 70,416 | 42,605 | 17,127 | 25,681 | 85,413 | |
| 1985 Total | 1,679 | 1,190 | 8,924 | 11,793 | 33,439 | 12,978 | 12,132 | 58,549 | 35,118 | 14,168 | 21,056 | 70,342 | |
| 1986 Total | 1,084 | 793 | 5,549 | 7,426 | 18,013 | 7,723 | 7,129 | 32,865 | 19,097 | 8,516 | 12,678 | 40,291 | |
| 1987 Total | 925 | 754 | 5,049 | 6,728 | 15,239 | 7,301 | 6,063 | 28,603 | 16,164 | 8,055 | 11,112 | 35,331 | |
| 1988 Total | 855 | 743 | 4,693 | 6,291 | 12,781 | 7,812 | 5,348 | 25,941 | 13,636 | 8,555 | 10,041 | 32,232 | |
| 1989 Total | 607 | 705 | 3,924 | 5,236 | 9,597 | 8,834 | 4,264 | 22,695 | 10,204 | 9,539 | 8,188 | 27,931 | |
| 1990 Total 1991 Total | 654 592 | 689 534 | 3,715 3,314 | 5,058 4,440 | 11,544 11,178 | 10,355 8,992 | 4,598 4,282 | 26,497 24,452 | 12,198 11,770 | 11,044 9,526 | 8,313 7,596 | 31,555 28,892 | |
| 1992 Total | 493 | 423 | 2,513 | 3,429 | 8,264 | 7,786 | 4,262 3,605 | 19,655 | 8,757 | 9,526 8,209 | 6,118 | 23,084 | |
| 1992 Total | 502 | 548 | 2,469 | 3,519 | 7,905 | 9,469 | 3,859 | 21,233 | 8,407 | 10,017 | 6,328 | 24,752 | |
| 1994 Total | 570 | 726 | 2,405 | 3,701 | 6,151 | 8,812 | 2,902 | 17,865 | 6,721 | 9,538 | 5,307 | 21,566 | |
| 1995 Total | 542 | 570 | 2,198 | 3,310 | 7,085 | 7,784 | 2,877 | 17,746 | 7,627 | 8,354 | 5,075 | 21,056 | |
| 1996 Total | 483 | 570 | 2,136 | 3,189 | 7,831 | 8,732 | 3,146 | 19,709 | 8,314 | 9,302 | 5,282 | 22,898 | |
| 1997 Total | 428 | 536 | 2,110 | 3,074 | 10,008 | 10,791 | 3,592 | 24,391 | 10,436 | 11,327 | 5,702 | 27,465 | |
| 1998 Total | 291 | 504 | 1,647 | 2,442 | 6,773 | 10,804 | 3,193 | 20,770 | 7,064 | 11,308 | 4,840 | 23,212 | |
| 1999 Total | 154 | 539 | 1,195 | 1,888 | 4,022 | 10,338 | 2,169 | 16,529 | 4,176 | 10,877 | 3,364 | 18,417 | |
| 2000 Total | 264 | 609 | 1,288 | 2,161 | 7,094 | 15,846 | 2,737 | 25,677 | 7,358 | 16,455 | 4,025 | 27,838 | |
| 2001 January | 19 | 74 | 101 | 194 | 669 | 1,480 | 231 | 2,380 | 688 | 1,554 | 332 | 2,574 | |
| February | 29 | 76 | 94 | 199 | 599 | 1,511 | 206 | 2,316 | 628 | 1,587 | 300 | 2,515 | |
| March | 28 | 51 | .90 | 169 | 661 | 1,563 | 188 | 2,412 | 689 | 1,614 | 278 | 2,581 | |
| April | 28 | 81 | 127 | 236 | 649 | 1,610 | 217 | 2,476 | 677 | 1,691 | 344 | 2,712 | |
| May | 28 | 84 | 136 | 248 | 736 | 1,678 | 241 | 2,655 | 764 | 1,762 | 377 | 2,903 | |
| June | 31 | 89 | 128 | 248 | 717 651 | 2,067 | 258 | 3,042 | 748 | 2,156 | 386 | 3,290 | |
| July | 31 27 | 89 104 | 153 132 | 273 263 | 651 670 | 2,070 2,056 | 218 248 | 2,939 2,974 | 682 697 | 2,159 2,160 | 371 380 | 3,212 3,237 | |
| August September | 18 | 82 | 119 | 203 | 619 | 1,925 | 198 | 2,974 | 637 | 2,100 | 317 | 2,961 | |
| October | 29 | 104 | 144 | 277 | 764 | 1,997 | 220 | 2,981 | 793 | 2,101 | 364 | 3,258 | |
| November | 20 | 88 | 131 | 239 | 549 | 1,651 | 175 | 2,375 | 569 | 1,739 | 306 | 2,614 | |
| December | 26 | 53 | 89 | 168 | 462 | 1,500 | 192 | 2,154 | 488 | 1,553 | 281 | 2,322 | |
| Total | 314 | 975 | 1,444 | 2,733 | 7,746 | 21,108 | 2,592 | 31,446 | 8,060 | 22,083 | 4,036 | 34,179 | |
| 2002 January | 16 | 60 | 108 | 184 | 409 | 1,328 | 207 | 1,944 | 425 | 1,388 | 315 | 2,128 | |
| February | 16 | 56 | 103 | 175 | 418 | 1,247 | 198 | 1,863 | 434 | 1,303 | 301 | 2,038 | |
| March | 16 | 51 | 96 | 163 | 419 | 1,137 | 185 | 1,741 | 435 | 1,188 | 281 | 1,904 | |
| April | 15 | 51 | 94 | 160 | 395 | 1,130 | 182 | 1,707 | 410 | 1,181 | 276 | 1,867 | |
| May | 15 | 57 | 103 | 175 | 388 | 1,278 | 199 | 1,865 | 403 | 1,335 | 302 | 2,040 | |
| June | 15 | 58 | 106 | 179 | 401 | 1,301 | 202 | 1,904 | 416 | 1,359 | 308 | 2,083 | |
| July | 16 | 59 | 106 | 181 | 406 | 1,309 | 205 | 1,920 | 422 | 1,368 | 311 | 2,101 | |
| August | 14 | 59 | 105 | 178 | 362 | 1,322 | 200 | 1,884 | 376 | 1,381 | 305 | 2,062 | |
| September | 14 | 61 | 106 | 181 | 354 | 1,349 | 203 | 1,906 | 368 | 1,410 | 309 | 2,087 | |
| November | 16 16 | 58 56 | 106 104 | 180 176 | 406 424 | 1,300 | 203 | 1,909 | 422 440 | 1,358 | 309 303 | 2,089 | |
| December | 16 15 | 56 59 | 104 106 | 176 180 | 424 398 | 1,252 1,309 | 199 203 | 1,875 1,910 | 440 413 | 1,308 1,368 | 303 309 | 2,051 2,090 | |
| Total | | 685 | 1,243 | 2,112 | 4,780 | 15,262 | 2,386 | 22,428 | 4,964 | 15,947 | 3,629 | 24,540 | |
| 2003 January | 15 | 59 | 106 | 180 | 383 | 1,316 | 202 | 1,901 | 398 | 1,375 | 308 | 2,081 | |
| February | 17 | 62 | 113 | 192 | 444 | 1,375 | 216 | 2,035 | 461 | 1,437 | 329 | 2,227 | |
| March | | 63 | 118 | 200 | 496 | 1,406 | 226 | 2,128 | 515 | 1,469 | 344 | 2,328 | |
| April | | 65 | 123 | 209 | 536 | 1,458 | 238 | 2,232 | 557 | 1,523 | 361 | 2,441 | |
| May | 19 | 72 | 129 | 220 | 486 | 1,582 | 247 | 2,315 | 505 | 1,654 | 376 | 2,535 | |
| 5-Month Total | 91 | 321 | 589 | 1,001 | 2,345 | 7,137 | 1,129 | 10,611 | 2,436 | 7,458 | 1,718 | 11,612 | |
| 2002 5-Month Total | 78 | 275 | 504 | 857 | 2,029 | 6,120 | 971 | 9,120 | 2,107 | 6,395 | 1,475 | 9,977 | |
| 2001 5-Month Total | 132 | 366 | 548 | 1,046 | 3,314 | 7,842 | 1,083 | 12,239 | 3,446 | 8,208 | 1,631 | 13,285 | |

Notes: • These well counts include only the original drilling of a hole intended to discover or further develop already discovered crude oil or natural gas resources. Other drilling activities, such as drilling an old well deeper, drilling of laterals from the original well, drilling of service and injection wells, and drilling for resources other than crude oil or natural gas are excluded. Due to the methodology used to estimate ultimate well counts from the available partially reported data, the counts shown on this page are frequently

revised. See notes at end of section. • Geographic coverage is the 50 States and the District of Columbia.

Web Page: http://www.eia.doe.gov/emeu/mer/resource.html.

Sources: Energy Information Administration computations, which are based on well reports submitted by the Petroleum Information Corporation, Denver, Colorado.

Table 5.3 Maximum U.S. Active Seismic Crew Counts

(Number of Crews)

| F | | , | Onshor | - | 48 States, Offshore ^a | | | | Alaska ^b | | | | - |
|--------------------|-------------------------|----|--------|--------|----------------------------------|----|---|--------|---------------------|---|---|--------|-------|
| | Dimensions ^c | | | | Dimensionsc | | | | Dimensions | | | | |
| | 2 | 3 | 4 | Totald | 2 | 3 | 4 | Totald | 2 | 3 | 4 | Totald | Total |
| | | | | | | | | | | | | | |
| 000 March | 4 | 36 | 1 | 41 | 7 | 11 | 0 | 19 | 1 | 1 | 0 | 2 | 62 |
| April | 4 | 36 | 1 | 41 | 7 | 11 | 0 | 19 | 1 | 2 | 0 | 3 | 63 |
| May | 3 | 34 | 1 | 38 | 6 | 11 | 0 | 18 | 1 | 2 | 0 | 3 | 59 |
| June | 5 | 37 | 1 | 43 | 7 | 9 | 0 | 17 | 1 | 2 | 0 | 3 | 63 |
| July | 4 | 39 | 1 | 44 | 6 | 6 | 0 | 13 | 0 | 1 | 0 | 1 | 58 |
| August | 4 | 40 | 1 | 45 | 7 | 7 | 0 | 15 | 0 | 1 | 0 | 1 | 61 |
| September | 3 | 39 | 1 | 43 | 7 | 8 | 0 | 16 | 0 | 0 | 0 | 0 | 59 |
| October | 4 | 41 | 1 | 46 | 7 | 9 | 0 | 17 | 0 | 0 | 0 | 0 | 63 |
| November | 4 | 40 | 1 | 46 | 7 | 8 | 0 | 16 | 0 | 0 | 0 | 0 | 62 |
| December | 5 | 41 | 1 | 48 | 8 | 8 | Ö | 17 | Ö | Ö | Ö | Ō | 65 |
| 001 January | 5 | 38 | 1 | 44 | 9 | 7 | 0 | 17 | 0 | 0 | 0 | 0 | 61 |
| February | 6 | 38 | 1 | 45 | 8 | 7 | 0 | 16 | 0 | 0 | 0 | 0 | 61 |
| March | 6 | 38 | 1 | 45 | 9 | 9 | 0 | 18 | 0 | 0 | 0 | 0 | 63 |
| April | 7 | 39 | 1 | 47 | 9 | 9 | 0 | 18 | 0 | 0 | 0 | 0 | 65 |
| May | 7 | 37 | 1 | 45 | 9 | 8 | Õ | 17 | 1 | 1 | ő | 2 | 64 |
| June | 6 | 35 | 1 | 42 | 9 | 7 | 0 | 16 | 1 | 1 | 0 | 2 | 60 |
| July | 6 | 35 | i | 42 | 8 | 8 | Ö | 16 | ò | Ö | Ö | 0 | 58 |
| August | 8 | 32 | i | 41 | 7 | 8 | 0 | 15 | Ö | 0 | 0 | Ö | 56 |
| September | 8 | 30 | 1 | 39 | 6 | 9 | 0 | 15 | 0 | 0 | 0 | 0 | 54 |
| October | 5 | 33 | 1 | 39 | 9 | 10 | 0 | 19 | 0 | 0 | 0 | 0 | 58 |
| | | | - | | | | - | | | - | - | | |
| November | 7 | 34 | 1 | 42 | 7 | 10 | 0 | 17 | 0 | 0 | 0 | 0 | 59 |
| December | 7 | 33 | 1 | 41 | 8 | 9 | 0 | 17 | 0 | 0 | 0 | 0 | 58 |
| 002 January | 6 | 32 | 0 | 38 | 8 | 6 | 0 | 14 | 1 | 1 | 0 | 2 | 54 |
| February | 9 | 31 | 0 | 40 | 9 | 6 | 0 | 15 | 1 | 1 | 0 | 2 | 57 |
| March | 9 | 26 | 0 | 35 | 10 | 7 | 0 | 17 | 1 | 1 | 0 | 2 | 54 |
| April | 7 | 25 | 0 | 32 | 9 | 7 | 0 | 16 | 1 | 1 | 0 | 2 | 50 |
| May | 8 | 24 | 0 | 32 | 9 | 8 | 0 | 17 | 1 | 1 | 0 | 2 | 51 |
| June | 9 | 23 | 0 | 32 | 9 | 7 | 0 | 16 | 1 | 1 | 0 | 2 | 50 |
| July | 8 | 26 | 0 | 34 | 8 | 8 | 0 | 16 | 1 | 1 | 0 | 2 | 52 |
| August | 7 | 26 | 0 | 33 | 8 | 7 | 0 | 15 | 1 | 1 | 0 | 2 | 50 |
| September | 9 | 28 | ō | 37 | 10 | 7 | Õ | 17 | 1 | 1 | ō | 2 | 56 |
| October | 8 | 30 | Ö | 38 | 10 | 7 | 0 | 17 | 1 | 1 | 0 | 2 | 57 |
| November | 8 | 27 | ő | 35 | 8 | 5 | ő | 13 | i | i | Ö | 2 | 50 |
| December | 8 | 22 | ő | 31 | 7 | 4 | ŏ | 11 | 1 | ö | ő | 1 | 43 |
| 003 January | 8 | 19 | 1 | 28 | 8 | 4 | 0 | 12 | 0 | 0 | 0 | 0 | 40 |
| February | 9 | 20 | 0 | 29 | 8 | 4 | ō | 12 | Ö | Ö | Ō | Ö | 41 |
| March | 8 | 20 | ő | 28 | 7 | 4 | ő | 11 | 1 | 1 | 0 | 2 | 41 |
| April | 7 | 20 | 0 | 27 | 7 | 4 | Ő | 11 | i | 1 | 0 | 2 | 40 |
| May | 7 | 17 | 0 | 24 | 8 | 4 | 0 | 12 | 1 | 1 | 0 | 2 | 38 |

a Federal and State Jurisdiction waters of the Gulf of Mexico.

features, and elimination of the "ghost" or "side swipe" reflections from nearby offline features that 2D surveys are prone to (except, of course, along the outer faces of the cube). Four dimensional (4D) reflection seismic surveying is the exact repetition of a 3D survey at two or more time intervals. The primary application of 4D is mapping the movement of fluid interfaces in producing oil and gas reservoirs.

d Includes crews with unknown survey dimension.

Notes: • "48 States" is the United States excluding Alaska and Hawaii. •

Data are reported on the first and fifteenth of each month, except January when they are reported only on the fifteenth. When semi-monthly values differ for the month, the larger of the two values is shown here. Consequently this table reflects the maximum number of crews at work at any time during the month.

Web Page: http://www.eia.doe.gov/emeu/mer/resource.html.

Source: World Geophysical News, IHS Energy Group, Denver, CO. used with permission.

b All onshore.

^c In **two-dimensional** (2D) reflection seismic surveying both the sound source and the sound detectors (numbering up to a hundred or more per shot) are moved along a straight line. The resultant product can be thought of as a vertical sonic cross-section of the subsurface beneath the survey line. It is constructed by summing many compressional (pressure) wave reflections from the various sound source and sound detector locations at the halfway sound path points beneath each location (common depth point stacking). In three-dimensional (3D) reflection seismic surveying the sound detectors (numbering up to a thousand or more) are spread out over an area and the sound source is moved from location to location through the area. The resultant product can be thought of as a cube of common depth point stacked reflections. Advantages over 2D include the additional dimension, the fact that many more reflections are available for stacking at each point, which provides greatly improved resolution of subsurface

Crude Oil and Natural Gas Resource Development

Table 5.2 Notes

Three well types are considered in the *Monthly Energy Review (MER)* drilling statistics: "completed for crude oil," "completed for natural gas," and "dry hole." Wells that productively encounter both crude oil and natural gas are categorized as "completed for crude oil." Both development wells and exploratory wells (new field wildcats, new pool tests, and extension tests) are included in the statistics. All other classes of wells drilled in connection with the search for producible hydrocarbons are excluded.

Prior to the March 1985 *MER*, drilling statistics consisted of completion data for the above types and classes of wells as reported to the American Petroleum Institute (API) during a given month. Due to time lags between the date of well completion and the date of completion reporting to the API, as-reported well completions proved to be an inaccurate indicator of drilling activity. During 1982, for example,

as-reported well completions rose, while the number of actual completions fell. Consequently, the drilling statistics published since the March 1985 *MER* are Energy Information Administration (EIA) estimates produced by statistically imputing well counts and footage based on the partial data available from the API. These estimates are subject to continuous revision as new data, some of which pertain to earlier months and years, become available. Additional information about the EIA estimation methodology may be found in "Estimating Well Completions," the feature article published in the March 1985 *MER*.

Users of the well completion and footage figures published by the Energy Information Administration (EIA) prior to August 1998 should be aware that these data have been revised. The published well completion and footage figures are produced by the Well Completion Estimation Procedure (WELCOM) based on drilling records provided under contract to the EIA. Problems in the files received by EIA necessitated revision of the historical series for well completions and footage drilled. Queries regarding this matter may be directed to William Trapmann (202-586-6408 or william.trapmann@eia.doe.gov).